



# **CORR TABLESPORTS TOCKEY™**

## **Assembly Instructions**

*Average time to setup: 30-45 minutes  
All screws are located in Bag A.*

### **STEP ONE:**

#### **LEGS**

- 1) Flip the body over onto the top having the open bottom exposed.
  - a) Before screwing, make sure that the leg fits snugly into the corners.  
Match legs with red dots to corners with red dots.
  - b) Screw 12 screws in each leg.
  - c) Flip the table onto the legs (requires at least 2 people).

### **STEP TWO:**

#### **PLEXI GLASS**

- 1) Remove protective covering.
- 2) Insert Plexi Glass into slot along body wall.
  - a) Work the glass in from one end to the other
  - b) Screw in place using the Plexi-Glass Screws  
(2 on each side located above rods between goalie and defensemen)

### **STEP THREE:**

#### **SCOREKEEPERS**

- 1) Screw them into place with numbers facing the surface area.

### **STEP FOUR:**

#### **FACE OFF TUBES**

- 1) Attach tubes on both sides of table around service holes with 3 screws each.

### **STEP FIVE:**

#### **RODS and STICKS**

- 1) Slide grip onto rod aligning the hole in the grip with one of the adjustment holes in the rod. Attach all grips to rods with pins prior to inserting into table. Slowly hammer pin into place.  
(The pinpunch is used only for removal).
- 2) Stick categories:
  - Goalie Rod: 3 holes (not including holes for grip)
  - Defensemen: 4 holes (not including holes for grip)
  - Center Ice: 6 holes (not including holes for grip)
  - Forwards: 5 holes (not including holes for grip)*note: While standing along side of the table the goalie rod is always inserted farthest left.*


**STICK ALIGNMENT:** All sticks on the rod point away from the grips **EXCEPT** the sticks closest to the wall. (See diagram on next page)

#### **RECOMMENDATIONS:**

- 1) Wiping down the surface and Tucks, once every 8-10 games, with any type of furniture polish ensures maximum slickness.
- 2) Apply silicone lube, as needed, to the rods for movement consistency.

--Check out all Tockey news and events on the web, [www.tockey.com](http://www.tockey.com)--


# Rod and Stick Positions



← → are to indicate the direction of the stick blade

○ = Bumper and Metal Ring  
Bumper is always on the outside  
and Metal ring on inside

For example,



# Tockey Inventory

## PARTS (not actual size)




Scorekeeper (2 total)



Sticks (10 each color)

Legs (4 total) not shown  
Plexi-Glass (2 total) not shown



Face-Off Tubes (2 total)




Tucks (2 total)



Bumpers (16 total)



Grips (8 total)



Levels and Housing (2 total each)



Metal Rings (16 total)

## SCREWS (actual size)



Pins for Grips (8 total)



Pin Punch (1 total)



Stick Screws and Bolts (20 total each)



Plexi-Glass Screws (4 total)



Levels Screws (6 total)



Leg Screws (48 total)



Face Off Tube Screws (6 total)



Score Keeper Screws (8 total)